

Treesquare

Product Cleansing
&
Maintenance

Fiberglass Furniture

Maintenance

In order to provide a durable and safe use to the product, please follow the following

- All our products are suitable for indoor and outdoor use.
- Place the product on a flat surface without inclination to avoid uncontrolled movements.
- The continuous exposure to the sun can cause burning injuries by direct contact with your skin. To avoid this, please check the temperature of the furniture in case of long-term exposure to strong sun.
- Keep the product away from excessive heat sources.
- When changing the bulb for the lighting, please make sure the cord is not connected to the main power.

Cleansing

- Remove scuff marks and stubborn dirt by spray the degreaser over the dirty surface.
- Rub it with a soft cloth soaked in detergent and warm water.
- Rinse with abundant water with pressure washer.
- For polished products, After cleaning or if finish appears dull, apply a pre-softened automotive paste wax to restore original sheen.
- Do not use abrasive cleaners that may damage the finish.

Fabric

Maintanance

One of the best ways to keep fabrics looking good and long-lasting is to spray and wash them with clean water once a month.

This tip helps avoiding dirt penetrated deeply, thus easily to be cleaned in the future.

Cleansing

- Brush off loose dirt.
- Spray on a cleaning solution of water and mild soft.
- Use a soft bristle brush to clean.
- Allow cleaning solution to soak into the fabric.
- Rinse thoroughly until all soap residue is moved.
- Air dry.

Cushion

Maintanance

For optimum appearance and performance cushion should be cleaned regularly before substances such as dirt and food particles are allowed to accumulate on and become embedded in the fabric. The fabric should be cleaned without removing the inner foam core by simply brushing off any loose dirt and cleaning with water and mild soap solution of no more than 40 'c.

After sponging briskly with the soap and water, rinse thoroughly and air dry completely before storing.

Cleansing

- Brush off dirt and wipe up spills immediately to avoid embedded stains.
- To remove basic stains, spot clean and yarn-dyed polyester fabrics with 1/4 cup mild dish soap and 1 gallon of water.
- Hose off your cushions as needed to remove dirt and debris.
- Re-treat fabrics after deep cleaning or every 5 years.

(Still not sure?)

Treesquare studio co.,ltd.

55/234 Moo.7, Lak Hok, Mueang, Pathum Thani,
Pathum Thani, Thailand 12000

(+66) 02 997 8588

treesquare.studio@gmail.com

Treesquare

การทำควมสะอาดและ
การดูแลรักษา

เฟอร์นิเจอร์ไฟเบอร์กลาส

การใช้งาน

เพื่ออายุการใช้งานที่ยาวนานและเพื่อความปลอดภัย

กรุณาปฏิบัติตามการแนะนำข้างต้น

- สินค้าของTreesquare สามารถใช้งานได้ทั้งภายในและภายนอก
- จัดวางสินค้าที่ไม่ลาดเอียงจนเกินไปเพื่อป้องกันอันตรายที่จะเกิดขึ้นจากการลื่นไถล
- กรณีสินค้าถูกวางตากแดดเป็นเวลานาน ความร้อนสะสมที่พื้นผิวอาจก่อให้เกิดการบิดงอที่ผิวหนังได้

กรุณาตรวจสอบพื้นผิวด้วยการแตะสัมผัสก่อนการใช้งาน

- วางสินค้าให้ห่างจากแหล่งกำเนิด ความร้อน
- กรณีสินค้าคอมไฟให้ถอดจุดเชื่อมต่อไฟฟ้าก่อนการเปลี่ยนหลอดไฟ

การทำความสะอาด

- ขจัดคราบสกปรกที่เห็นได้ชัดด้วยการขัดล้างด้วยน้ำยาทำความสะอาด
- เช็ดออกด้วยผ้าสะอาดชุบน้ำผสมน้ำยาทำความสะอาด
- ล้างออกด้วยน้ำสะอาด
- เพื่อการรักษาผิวให้เงางาม, ให้เคลือบผิวด้วยแว็กซ์เคลือบผิวรถยนต์
- ห้ามใช้น้ำยาประเภททินเนอร์ เพราะอาจจะทำให้เกิดความเสียหาย
- ห้ามใช้แปรงที่ลักษณะแข็งหรือลวดขัดทำความสะอาด เพราะจะทำให้เกิดรอยขีดข่วน

ผ้า

เพื่ออายุการใช้งานที่ยาวนานและสีที่คงทนสำหรับการใช้งานภายนอก แนะนำให้ฉีดทำความสะอาด สะอาดด้วยน้ำสะอาดเดือนละ 1 ครั้ง เพื่อขจัดคราบสะสม และคราบฝังลึก

การทำความสะอาด

- ปิดทำความสะอาดชั้นต้นด้วยแปรง
- ฉีดพ่นน้ำยาด้วยทำความสะอาดผ้าที่ผสมด้วยน้ำลงไปจุดที่เป็นคราบสกปรก
- ใช้ผ้าหรือแปรงขนอ่อนเช็ดเบาๆ ทิ้งไว้ 1-3 นาที เพื่อให้น้ำยาทำความสะอาด ซึมลงในผ้า
- เช็ดออกด้วยน้ำสะอาดจนกว่าน้ำยาจะหมดออกจากผ้า
- ตากไว้ให้แห้งสนิท

เบาะและฟองน้ำ

เพื่อการใช้งานที่ยาวนาน เบาะควรทำความสะอาดทันทีที่ทราบสกปรกจากฝุ่น หรืออาจจะตกลงไปเพื่อป้องกันการเกิดคราบฝังลึก แนะนำให้ทำความสะอาด ตัวผ้าในขณะที่สวม อยู่กับเบาะด้วยการปิดฝุ่นหรือคราบสกปรก ก่อนฉีดทำความสะอาดด้วยน้ำและน้ำยา ชักผ้าแบบอ่อน โดยอุณหภูมิของน้ำ ควรต่ำกว่า 40°C แล้วจึงล้างอีกครั้งด้วยน้ำสะอาด แล้วตากให้แห้งสนิท ก่อนการเก็บรักษา

การทำความสะอาด

- ปิดฝุ่นและคราบสกปรกออก
- ขจัดคราบสกปรกออกจากผ้าแบบทำความสะอาดเฉพาะจุดด้วยน้ำยา ทำความสะอาด 1/4 ถ้วย ผสมกับน้ำ 1 แกลลอน
- ล้างออกด้วยน้ำสะอาดแล้วตากให้แห้งสนิท

(Still not sure?)

Treesquare studio co.,ltd.

55/234 Moo.7, Lak Hok, Mueang, Pathum Thani,
Pathum Thani, Thailand 12000

(+66) 02 997 8588

treesquare.studio@gmail.com